

MONTHLY CHECKS OF WALDRINGFIELD PLAYING FIELD

		Comment ✓ = satisfactory
<u>Access:</u>	Are all access routes safe & unobstructed?	Yes
<u>Signs:</u>	Are signs in appropriate position & in good condition?	Yes
<u>Gates:</u>	Are gates functional & free from obstruction & in good repair?	Yes
<u>Fencing</u>	Is all fencing in good condition?	No, Damage to fence adjacent South entrance
<u>Seating:</u>	Is seating safe & in good condition? Are any nuts, bolts/screws out of position?	No Seat adjacent mound removed from service.
<u>Bins:</u>	Check that bins (3) are being emptied. Pick up rubbish from playing field.	Yes
<u>Pathways:</u>	Are pathways clear and safe?	Yes
<u>See-saw:</u>	Is see-saw structure intact? Is safety surface in good condition? Do the stops prevent excessive up & down movement? Are any nuts, bolts out of position?	Yes
<u>Swings: infant & Junior</u>	Is seating intact? Are chains intact? Do swings work normally? Is safety surface in good condition? Are any nuts, bolts or screws out of position?	Yes Minimal wear.
<u>Basket Swing</u>		Yes
<u>Slide/Rope Bridge</u>	Is surface free from irregularities? Is landing area free from obstruction? Is safety surface intact? Is access safe?	New grass seed to be sown work /yet to be complete
<u>Parallel Bars:</u>	Check condition of safety surface and structure.	Yes
<u>Goal Posts:</u>	Are goal posts firm in the ground? Is ground level around the posts?	Yes
<u>Stepping Snake:</u>	Check for any splits or rot and looseness of wooden posts.	OK
<u>Train:</u>	Check for any splits or rot and security of items.	Converted to electric.
<u>Mound/Walkway</u>	Are surfaces generally safe & secure?	Yes
<u>Roundabout:</u>	Check that rotation is smooth and gap round platform is even.	Yes
<u>Climbing Net:</u>	Check that ropes are not excessive slack or connectors loose..	OK
<u>Whole Site:</u>	Sweep safety surfaces and scrub if necessary. . Check that all metal paintwork/galvanising is in reasonable condition. Check site generally for dangerous litter, excavations etc. Check that trees and shrubs do not present any danger or have loose branches, trim or retie any loose growth.	
<u>Additional items</u>	N/A	

Any problems should be reported to the Clerk.

Checks performed by:

RF

Master signed:

Date:02-09-2026